References:

Albert FE, El-Mowafy OM (2004). Marginal Adaptation and Microleakage of Procera All - Ceram Crowns with Four Cements. Int J Prosthodont. 17(5):529-35.

Ardekani TK, Ahangari AH (2012). Marginal and internal fit of CAD/CAM and Slip-cast made zirconia copings. J Dent Res & Clin Dent Prospect. 6(2):42-48.

Att W, Komine F, Gerds T, Strub JR (2009). Marginal adaptation of 3 different zirconium dioxide three unit FPD. J Prosthet Dent. 101:238-47.

Baig MR, Beng K, Tan C, Nicholis JI (2010). Evaluation of marginal fit of a zirconia ceramic computer aided machined (CAM) crown system. J Prosthet Dent. 104:216- 27.

Balkaya MC, Cinar A, Pamuk S (2005). Influence of firing cycles on the margin distortion of 3 all-ceramic crown systems. J Prosthet Dent. 93:346-55.

Beschnidt SM, Strub JR (1999). Evaluation of marginal accuracy of different all ceramic crown systems after simulation in artificial mouth. Journal of Oral Rehabilitation. 26: s582-93.

Beuer F, Aggstaller H, Edelhoff D, Gernet W, Sorensen J (2009a). Marginal and internal fit of fixed dental prosthesis zirconia retainers. Dent Materials. 25: 94-102.

Beur F, Aggstaller H, Richter, Edelhoff D, Gernet W (2009b). Influence of preparation angle on marginal and internal fit of CAD CAM fabricated zirconia crown copings. Quintessense Int. 40:243-50.

Bhowmik H, Parkhedkar R (2011). A comparison of marginal fit of glass infiltrated alumina copings fabricated using two different techniques and the effect of firing cycles over them. J Adv Prosthodont. 3:196-203.

Blatz MB, Oppes S, Chiche G, Holst S, Sadan A (2008). Influence of cementation technique on fracture strength and leakage of alumina - ceramic crowns after cyclic loading. Quintessence Int. 39:23-32.

Chan C, Haraszthy G, Geis-Gerstorfer J, Weber, H (1985). The marginal fit of Cerestore full ceramic crowns - a preliminary report. Quintessence Int. 6: 399-402.

Cho SH, Nagy WW, Goodman JT, Solomon E, Koike M (2012). The effect of multiple firings on the marginal integrity of Pressable ceramic single crowns. J Prosthet Dent. 107(1):17-23.

Clark MT, Richards MW, Meiers JC (1995). Seating accuracy and fracture strength of vented and non vented ceramic crowns luted with 3 cements. J Prosthet Dent. 74:18-24.

Conrad HJ, Seong WJ, Pesun IJ (2007). Current ceramic materials and systems with clinical recommendations: A systematic review. J Prosthet Dent. 98:389-404.

Craig GC. Restorative Dental Materials. 11th edition, The C.V. Mosby Company, St. Louis. Toronto. Princeton. 1985, pp. 672.

Euan R, Figueras O (2012). Comparison of the marginal adaptation of zirconium dioxide crowns in preparation with two different finish lines. Journal of Prosthodontics. 21: 291- 95.

Ferrari M, Mannocci F, Mason PN, Kugel G (1999). In vitro leakage of resin-bonded all-porcelain crowns. J Adhes Dent. 1: 233 - 42.

Ferreira Anusavice KJ. Phillip's Science of Dental Materials. 11th edition, Saunders Company, USA 2004, pp 721-57.

Gassino G, Monfrin, SB, Preti G (2004). Marginal adaptation of fixed prosthodontics: a new in vitro 360-degree external examination procedure. Int J Prosthodont. 17: 218 - 23

Ghazy M, Mowafy OE (2010). Microleakage of porcelain and composite machined crowns cemented with self adhesive / conventional resin cement. Journal of Prosthodontics. 19: 523-30.

Giordano R, McLaren EA (2010). Ceramics Overview: Classification by Microstructure and Processing Methods. Compend Contin Educ Dent. 31(9): 682-8.

Gonzalo E, Suárez MJ, Serrano B, Lozano JF (2009). A comparison of the marginal vertical discrepancies of zirconia and metal ceramic posterior fixed dental prosthesis before and after cementation. J Prosthet Dent. 102:378-84.

Gorman CM, McDevitt WE, Hill RG (2000). Comparison of two heat-pressed all-ceramic dental materials. Dent Mater. 16(6):389-95.

Grenade C, Mainjot A, Vanheusden A (2011). Fit of single tooth zirconia copings: comparison between various manufacturing processes. J Prosthet Dent. 105:249 -55.

Gu XH, Kern M (2003). Marginal discrepancies and leakage of all ceramic crowns: influence of luting agents and aging conditions. Int J Prosthodont. 16:109 - 16.

Hilgert E, Buso L, Neisser MP, Bottino MA (2004). Evaluation of marginal adaptation of ceramic crowns depending on the marginal design and the addition of ceramic. Brazil J Oral Scien. 3(11):619-23.

Kassem AS, Atta O, El-Mowafy O (2011). Combined effects of thermocycling and load-cycling on microleakage of computer-aided design/computer assisted manufacture molar crowns. Int J Prosthodont. 24:376-78.

Kelly JR, Nishimura I, Campbell SD (1996). Ceramics in dentistry: historical roots and current perspectives. J Prosthet Dent. 75(1):18-32.

Kern M, Wegner SM (1998). Bonding to Zirconia ceramic adhesion methods and durability. Dent Mater. 14: 64-71.

Kitayama S, Pilecki P, Nasser NA, Bravis T, Wilson RF, Nikaido T, Tagami J, Watson TF, Foxton RM (2009). Effect of resin coating on adhesion and microleakage of computer-aided design/computer-aided manufacturing fabricated all ceramic crowns after occlusal loading. Eur J Oral Sci. 117: 454-62.

Kohorst P, Junghanns J, Dittmer MP, Borchers L, Stiesch M (2011a). Different CAD/CAM processing routes for zirconia restorations: influence of fitting accuracy. Clin Oral Invest. 15:527-36.

Kohorst P, Brinkmann H, Li J, Borchers L, Stiesch M (2009b). Marginal accuracy of four-unit zirconia fixed dental prostheses fabricated using different computer-aided design/computer-aided manufacturing systems. Eur J Oral Sci. 117: 319- 25.

Kokubo Y, Ohkubo C, Tsumita M, Miyashita A, Vult von Steyern P, Fukushima S. (2005) Clinical marginal and internal gaps of Procera AllCeram crowns. J Oral Rehabil. 32(7):526 - 30.

Lee K, Park C, Kim K, Kwon T (2008). Marginal and internal fit of all-ceramic crowns fabricated with two different CAD/CAM systems. Dent Mater. 27(3):422-6.

Lyons KM, Rodda JC, Hood JAA (1997). Use of a pressure chamber to compare microleakage of three luting agents. Int J Prosthodont. 10(5):426-33.

May KB, Russell MM, Razzoog ME, Lang BR (1998). Precision of fit: the Procera AllCeram crown. J Prosthet Dent. 80:394–404.

Mitchell CA, Pintado, MR, Douglas WH (2001). Nondestructive, in vitro quantification of crown margins. J Prosthet Dent. 85: 575 - 84.

Osório AB, Camacho GB, Demarco FF, Powers JM (2007). Microleakage in full crown, all - ceramic restorations; influence of internal surface treatment, silane application, alumina system and substrate. Int J Prosthodont. 20:123-24.

Penwadee L, Edwin K, Gerard J Ch, Markus BB (2009). Comparison of marginal fit between all-porcelain margin versus alumina-supported margin on procera R-Alumina Crowns, J Prosthodont. 18: 162-6.

Quintas AF, Oliveria F Bottino MA (2004). Vertical marginal discrepancy of ceramic copings with different ceramic materials, finish lines and luting agents. J Prosthet Dent. 92:250-57.

Rossetti PHO, Valle AL, Carvalho RM, Goes MF, Pegoraro LF (2008). Correlation between margin fit and microleakage in complete crowns cemented with three luting agents. J Appl Oral Sci. 16(1):64-9.

Schweitzer DM, Goldstein GR, Ricci JL, Silva NR, Hittelman EL (2005). Comparison of Bond Strength of a Pressed Ceramic Fused to Metal versus Feldspathic Porcelain Fused to Metal. J Prosthet Dent. 14:239 - 47.

Shiratsuchi H, Komine F, Kakehashi Y, Matsumura H (2006). Influence of finish line desing on marginal adaptation of electroformed metal-ceramic crowns. J Prosthet Dent. 95(3):237-42.

Suárez MJ, González de Villaumbrosia P, Pradíes G, Lozano JF (2003). Comparison of marginal fit of Procera all - ceramic crowns with finish lines. Int J Prosthodont. 16: 229-32.

Sulaiman F, Chai J, Jameson LM, Wozniak WT (1997). A comparison of the marginal fit of In-Ceram, IPS Empress, and Procera crowns. Int J Prosthodont. 10:478 - 84.

Tolga M, Aykent F (2013). In vitro evaluation of the marginal fit of different all ceramic crowns. Journal of Dental Sciences. 8:225-30.

Toman M, Toksavul S, Artun C, Türkün M, Schmage P,Nergiz I (2007). Influence of Luting Agent on the Microleakage of All-Ceramic Crowns. Journal of Adhesive Dentistry. 9: 39-47.

Tranjtenberg CP, Caram SJ, Amnuay SK (2008). Microleakage of all ceramic crowns using self etching resin luting agents. Operative Dentistry. 33 (4):392-9.

Vigilo P, Fonzi F (2008). An in vitro evaluation of fit of zirconium oxide based ceramic four unit FPD generated with three different CAD CAM before and after porcelain firing cycles and after glaze cycles. Journal of Prosthodontics. 17: 621-26.

Viotti RG, Kasaz A, Pena CE, Alexandre RS, Arrais CA, Reis AF (2009). Microtensile bond strength of new self adhesive luting agents and conventional multistep systems. J Prosthet Dent. 102(5):306-12.

Wolfart S, Wegner SM, Al-Halabi A, Kern M (2003). Clinical evaluation of marginal fit of a new experimental all ceramic system before and after cementation. Int J Prosthodont. 16: 587- 92.

Yeo IS, Yang JH, Lee JB (2003). In vitro marginal fit of three all-ceramic crown systems. J Prosthet Dent. 90:459 - 64.

Yuksel E, Zaimoglu A (2011). Influence of marginal fit and cement types on microleakage of all ceramic crown systems. Braz Oral Res. 25(3):261- 6.